

Transitions

Introduction

- ❖ We can specify an effect we want to take place when changing from one style to another.


Introduction

```
<html>
<head>
  <style type="text/css">
    div
    {
      width:100px;
      height:100px;
      background:green;
      transition-property:width;
      transition-duration:1s;
      transition-timing-function:linear;
      transition-delay:2s;
      -webkit-transition-property:width;
      -webkit-transition-duration:1s;
      -webkit-transition-timing-function:linear;
      -webkit-transition-delay:2s;
    }
    div:hover
    {
      width:400px;
    }
  </style>
</head>
```

Introduction

```
<body>  
  <p/>  
  <div></div>  
</body>  
</html>
```

Introduction



Transitions

06/26/11

© 2009 Haim Michael (CSS3, Transitions)

1

Introduction

- ❖ We can specify an effect we want to take place when changing from one style to another.


Introduction

```
<html>
<head>
  <style type="text/css">
    div
    {
      width:100px;
      height:100px;
      background:green;
      transition-property:width;
      transition-duration:1s;
      transition-timing-function:linear;
      transition-delay:2s;
      -webkit-transition-property:width;
      -webkit-transition-duration:1s;
      -webkit-transition-timing-function:linear;
      -webkit-transition-delay:2s;
    }
    div:hover
    {
      width:400px;
    }
  </style>
</head>
```


Introduction

```
<body>
  <p/>
  <div></div>
</body>
</html>
```

Introduction



06/26/11

© 2009 Haim Michael (CSS3, Transitions)

5