


# Slider

# Introduction

- ❖ The slider background represents a series of values that can be selected by dragging the thumb along the background.

# Introduction




# Sample

```
<!DOCTYPE html>
<html>
<head>
  <link type="text/css" href="http://jqueryui.com/latest/themes/base/ui.all.css"
        rel="stylesheet" />
  <script type="text/javascript" src="http://jqueryui.com/latest/jquery-.3.2.js">
  </script>
  <script type="text/javascript"
        src="http://jqueryui.com/latest/ui/ui.core.js"></script>
  <script type="text/javascript"
        src="http://jqueryui.com/latest/ui/ui.slider.js"></script>
  <script type="text/javascript">
    $(document).ready(function()
    {
      $("#myslider").slider();
    });
  </script>
</head>

<body style="font-size:82.5%;">
<div id="myslider"></div>
</body>
</html>
```

# Sample



# Slider Smoothness

- ❖ We can set the slider smoothness by using the `animate` property. The value of this property can be one of three possible types.
- ❖ It can be `true` or `false` in order to indicate whether the animation even takes place.
- ❖ It can be `“slow”`, `“normal”` or `“fast”` in order to indicate how fast the animation takes place.


# Slider Smoothness

- ❖ It can be a number specified in milliseconds in order to specify how long it will take for the animation to complete.

# Slider Smoothness

```
<html>
  <head>
    <meta http-equiv="Content-Type"
      content="text/html;
      charset=iso-8859-1"/>
    <title>Slider Demo</title>
    <link type="text/css"
      href="css/ui-lightness/jquery-ui-1.8.1.custom.css"
      rel="stylesheet"/>
    <script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>
    <script type="text/javascript"
      src="js/jquery-ui-1.8.1.custom.min.js"></script>
    <script type="text/javascript">
      $(function() {
        var vec = {animate:"slow"};
        $("#myslider").slider(vec);
      });
    </script>
  </head>
  <body>
    <div id="myslider"></div>
  </body>
</html>
```

# Slider Smoothness



# Slider Range

- ❖ We can set the slider range using the `min` and `max` properties.

```
...
$(function()
{
    var vec = {min:100, max:1000};
    $("#myslider").slider(vec);
});
...
```

# Slider Events

- ❖ The `start` event takes place when the user starts moving the slider.
- ❖ The `slide` event takes place with each and every move of the slide.
- ❖ The `change` event takes place when the slide stops its move or when its value is changed programmatically.
- ❖ The `stop` event takes place when the user stops the sliding.

# Slider Events


```
<html>

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
    <title>Slider Demo</title>
    <link type="text/css"
      href="css/ui-lightness/jquery-ui-1.8.1.custom.css" rel="stylesheet" />
    <script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>
    <script type="text/javascript"
      src="js/jquery-ui-1.8.1.custom.min.js"></script>
    <script type="text/javascript">
      $(function() {
        var vec = {
          min:100,
          max:1000,
          change: function(event,ui){$("#info").text("value is "+ui.value);} };
        $("#myslider").slider(vec);
      });
    </script>
  </head>

  <body>
    <div id="myslider"></div>
    <div id="info"></div>
  </body>

</html>
```

# Slider Events



# Multiple Handles

- ❖ We can create a slider with more than one handle by specifying within the `<div>` element on which we are building up the slider `<div>` child elements for each one of the handles we want to have. In each one of them we should specify the `ui-slider-handle` class.

```
<div id="my_slider">  
<div class="ui-slider-handle"></div>  
<div class="ui-slider-handle"></div>  
</div>
```

# Multiple Handles

- ❖ Using the `values` property we can specify the initial values of our handles.

```
...
$(function()
  {
    var vec = {min:100, max:1000, values:[200,300]};
    $("#myslider").slider(vec);
  });
...
```

# Multiple Handles

```
<html>

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
    <title>Slider Demo</title>
    <link type="text/css"
      href="css/ui-lightness/jquery-ui-1.8.1.custom.css" rel="stylesheet"/>
    <script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>
    <script type="text/javascript"
      src="js/jquery-ui-1.8.1.custom.min.js"></script>
    <script type="text/javascript">
      $(function() {
        var vec = {min:100, max:1000, values:[200,300]};
        $("#myslider").slider(vec);
      });
    </script>
  </head>

  <body>
    <div id="myslider">
      <div class="ui-slider-handle"></div>
      <div class="ui-slider-handle"></div>
    </div>
  </body>

</html>
```

# Multiple Handles

